

USING DATA COMMUNICATION TO GIVE EASE IN HOTEL ROOM SERVICES

Rudi Tjiptadi

Jurusan Teknik Informatika, Fakultas Ilmu Komputer, Binus University
Jl. KH. Syahdan No. 9, Palmerah, Jakarta Barat 11480.
tjiptadirudi@yahoo.com

ABSTRACT

Gaining extra comfort in a trip is an important factor. Staying in a hotel needs food, laundry, and other activities that can make guests comfortable. The guesses' requests are usually ordered to the Room Service. Sometimes problems occur in serving the guests' requests due to human error, such as overdue orders, misunderstandings, etc. Computers are used to prevent those problems by typing requests directly from a computer in the room. The method is done by collecting data from the direct interview at a hotel related to guests' requests, analyzing the current system, doing literature study, creating a Room Service system draft, as well as implementing the new system in a form of prototype. A Room Service system prototype is created with the abilities to order food, drinks, laundry and ironing. This prototype designed meets the guests' satisfaction towards the hotel room services.

Keywords: hotel room services, computer network.

ABSTRAK

Mendapatkan kenyamanan yang lebih di dalam perjalanan merupakan faktor penting. Tinggal di hotel memerlukan makanan, cuci pakaian, serta kegiatan lain yang dapat membuat tamu nyaman. Apa yang diinginkan tamu biasanya dikatakan pada Layanan Kamar. Terkadang masalah timbul dalam menangani permintaan tamu dikarenakan oleh kesalahan manusia, seperti pesanan terlambat, salah pengertian, dll. Komputer digunakan untuk mencegah hal ini dengan mengetikkan permintaan langsung dari komputer di kamar tamu. Metode penelitian dilakukan dengan pengumpulan data secara wawancara langsung ke bagian terkait pada suatu hotel tentang apa kebutuhan tamu hotel, analisis sistem yang kini berjalan, penelusuran pustaka tentang jaringan komputer, perancangan sistem pelayanan kamar, serta implementasi dalam bentuk prototip. Telah dibuat prototip sistem pelayanan kamar, dengan kemampuan: memesan makanan dan minuman, serta layanan cuci dan setrika. Prototip yang dibuat memenuhi kepuasan pelayanan di hotel.

Kata kunci: layanan kamar hotel, jaringan komputer

INTRODUCTION

Case Study

The research is executed at Mercure Rekso Hotel located on Jl. Hayam Wuruk 123 West Jakarta.

Objectives

The research is objected to: (1) give more satisfaction to guests in providing room services such as food, beverages, and laundry and ironing simply by typing the orders through the computer in the room; (2) eliminate human errors during service providing.

Scope

This research is limited within the following processes: (1) analyzing the current order system of food, beverages, laundry and ironing; (2) proposing a new order system which is done simply by typing the orders directly through the computer in the guest's room; (3) designing and implementing a prototype of the new order system.

METHOD

This research uses the following methods: direct interviews to the relevant departments at Mercure Hotel about what are needed in room services, literature study about computer network, current system analysis, and prototype design with the abilities to order food, drinks, laundry and ironing, and prototype test.

RESULTS AND DISCUSSION

The Current System Analysis

The current system works as follow: A room guest who wants to make orders for room services such as having food and beverages be brought to his room, he will call the Room Service through the telephone in his room and it takes more time to complete the order. The internet connection in the hotel is connected through an internet provider using fiber optic cable in Cyber building. The cable is directly connected to the main switch in EDP manager room which leads to other switches on hotel floors (Figure 1).

The Proposed System

IP addressing

First of all, IP addresses for each computer in the system should be set, so data communication can be made. Static configuration is done, because each komputer is only used for a room. 20 host computers for 12 hotel floors; 8 host computers for one floor, and 5 host computers also for one floor




Figure 1. The current internet connection at the Mercure Rekso Hotel.

Calculate IP range according to the number of host computers.

$$2^n - 2 > 20$$

$$n = 5$$

So, the subnet used for floor 5 – 17 is /27 or equals to 255.255.255.224.

$$2^n - 2 > 8$$

$$n = 4$$

So, the subnet used for floor 18 is /28 or equals to 255.255.255.240.

$$2^n - 2 > 4$$

$$n = 3$$

So, the subnet used for floor 2 is /29 or equals to 255.255.255.248.

The following is the IP VLSM range (Tabel 1).

Table 1
IP VLSM Range

Floor	Number of PCs	Range IP
2	4 PCs	172.16.0.0 – 172.16.0.6 /29
5	20 PCs	172.16.0.7 – 172.16.0.38 /27
6	20 PCs	172.16.0.39 – 172.16.0.70 /27
7	20 PCs	172.16.0.71 – 172.16.0.102 /27
8	20 PCs	172.16.0.103 – 172.16.0.134 /27

9	20 PCs	172.16.0.135 – 172.16.0.166 /27
10	20 PCs	172.16.0.167 – 172.16.0.198 /27
11	20 PCs	172.16.0.199 – 172.16.0.230 /27
12	20 PCs	172.16.1.0 – 172.16.1.31 /27
14	20 PCs	172.16.1.32 – 172.16.1.63 /27
15	20 PCs	172.16.1.64 – 172.16.1.95 /27
16	20 PCs	172.16.1.96 – 172.16.1.127 /27
17	20 PCs	172.16.1.128 – 172.16.1.159 /27
18	8 PCs	172.16.1.160 – 172.16.1.175 /28

The New System Design

The following is the design of new network topology for Room Service (Figure 2). The following is the design of network topology for Room Service on on each floor (Figure 3).

Implementation

System Specification

The required components and their specification for Room Service computer is available on Tabel 2 (for hardwares) and Tabel 3 (for softwares). Below is the Room Service data flow diagram (Figure 4).




Figure 2. Design of new network topology for Room Service.




Figure 3. Design of network topology for Room Service on on each floor.

The Implementation of Computer Network

To do this simulation six laptops are used as a prototype: one as *Room Service* computer, two as guests computers, one as *Restaurant* computer, one as *Mini Bar* computer, and one as *Laundry* computer. Simulation process is well done. Below is the topology of the new implemented network system for Room Service.

User Interface

Below are several displays of the computerized Room Service system (Figure 5 – 14).

CONCLUSION

A Room Service system of the Mercure Rekso Hotel Jakarta with a simple application are successfully built, implemented, and already simulated. The writer suggests to modify this system into an integrated system, such as a new Room Service system which has a connection to hotel billing system.

REFERENCES

- Beasley, J. (2008). *Networking Second Edition*. New Jersey: Prentice Hall.
- Doherty, J., Anderson, N, Della Maggiora, Paul.(2007). *Cisco Networking Simplified* (2nd ed.). Indianapolis: Cisco Press.
- Tanenbaum, A. (2003). *Computer Networks*. Prentice Hall, Amsterdam.

APPENDIX




Figure 4. Room service data flow diagram.

Tabel 2
Hardware Specification

Components	Specification
Processor	Intel Pentium 4
Motherboard	Not specified
Memory	256 Mb
Hard Disk	40 Gb
NIC (Network Interface Card)	satu buah port
Mouse	Not specified
Monitor	Not specified

Table 3
Software Specification

Items	Specification
Operating System	Microsoft Windows XP
Program	Microsoft Visual Basic 6.0.
User Interface	



Figure 5. Display of home system.




Figure 6. Display of Room Service main menu.

Makanan

- Nasi Goreng Spesial Rp 35.000,00
- Beef Sirloin Steak Rp 55.000,00
- Iga Bakar Rp 43.000,00
- Sop Buntut Rp 40.000,00
- Omelet Rp 15.000,00

Minuman

- Blue Lagoon Rp 35.000,00
- Jus Alpukat Rp 20.000,00
- Ice Tea Rp 12.000,00
- Air Mineral Rp 8.000,00
- Lemon Squash Rp 18.000,00

Figure 7. Display of Restaurant menu.

Terima Kasih

DAFTAR PESANAN ANDA

PESANAN	JUMLAH
Nasi Goreng Spesial	1
Beef Sirloin Steak	2
Blue Lagoon	2
Air Mineral	1

Figure 8. Display of Restaurant order summary.

ROOM SERVICE								
KAMAR	JENIS LAYANAN	PESANAN	JUMLAH	HARGA SATUAN	TOTAL	KIRIM	KONFIRMASI	CETAK
501	Restaurant	Nasi Goreng Spesial	1	35000	35000	KIRIM		
		Beef Sirloin Steak	2	55000	110000			
		Blue Lagoon	2	35000	70000			
		Air Mineral	1	8000	8000			

Figure 9. Display of sent detailed Room Service order summary.

RESTAURANT			
KAMAR	PESANAN	JUMLAH	KONFIRMASI
501	Nasi Goreng Spesial	1	CONFIRM
	Beef Sirloin Steak	2	
	Blue Lagoon	2	
	Air Mineral	1	

Figure 10. Display of confirmed Restaurant order summary.

ROOM SERVICE								
KAMAR	JENIS LAYANAN	PESANAN	JUMLAH	HARGA SATUAN	TOTAL	KIRIM	KONFIRMASI	CETAK
501	Restaurant	Nasi Goreng Spesial	1	35000	35000	KIRIM	OK	CETAK
		Beef Sirloin Steak	2	55000	110000			
		Blue Lagoon	2	35000	70000			
		Air Mineral	1	8000	8000			

Figure 11. Display of printed Restaurant order summary.



Figure 12. Display of order confirmation and delivery waiting period.



Figure 13. Display of Mini Bar menu.



Figure 14. Display of Laundry menu.




Figure 15. Implemented network system for Room Service.